



Personal and Business System

PBSystem

AXIS 232 D+ DOME CAMERA

86 132.93 €



AXIS 232D+

Axis 232D+ is a dome camera with a resolution of 1080p, 18x optical zoom, and a 2.8mm lens. It features a 1/3" CMOS sensor and a 2.0MP resolution. The camera is IP67 rated and has a maximum range of 100m. It is compatible with Axis and third-party cameras. The camera is powered by PoE and has a maximum power consumption of 10W. It is available in white and black colors.

- D»ÑŽĐ±Đ¼Đ¼ Ñ€Đ°Đ·Ñ€ĐµÑˆĐµĐ½Đ,Đ,
- ĐĐĐ,Đ¿ Đ¿Đ²ĐµÑ,Đ½Đ°Ñ•
- Đ¿Ñ,Đ°Đ½Đ´Đ°Ñ€Ñ, Ñ•Đ¶Đ°Ñ,Đ,Ñ• MotionJPEG, MPEG4

ĐŽĐ¿Ñ,Đ,Ñ†ĐµÑ•Đ°Đ°Ñ• Ñ•Đ,Ñ•Ñ,ĐµĐ¼Đ°

- ĐœĐ°Đ°Ñ•Đ,Đ¼Đ°Đ»Ñ€Đ½Đ³¼Đµ Ñ€Đ°Đ·Ñ€ĐµÑˆĐµĐ½Đ,Đµ (Ñ,Đ³¼Ñ†ĐµĐ° Đ½Đ° Đ´ÑŽĐ¹Đ¼) 768x576
- ĐŽÑ•Đ²ĐµÑ%ĐµĐ½Đ½Đ³¼Ñ•Ñ,Ñ€ (Đ»ÑŽĐ°Ñ•) Đ¿Đ²ĐµÑ, Đ´Đ³¼ 0.3, ĐˆĐš Ñ€ĐµĐ¶Đ,Đ¼ 0.005
- ĐĐĐ,Đ¿ Đ³¼Đ±ÑŠĐµĐ°Ñ,Đ,Đ²Đ° f4.1-73.8 Đ¼Đ¼ / F 1.4-3.0, Đ°Đ²Ñ,Đ³¼Đ´Đ,Đ°Ñ,Ñ€Đ°Đ³¼Đ°, Đ°Đ²Ñ,Đ³¼Ñ,Đ³¼Đ°ÑfÑ•
- ĐĐĐ,Đ¿ Đ¼Đ°Ñ,Ñ€Đ,Ñ†Ñˆ 1.4' Sony ExView HAD CCD
- ĐŁĐ¿Ñ€Đ°Đ²Đ»ĐµĐ½Đ,Đµ Đ¿Đ³¼Đ·Đ,Ñ†Đ,Đ³¼Đ½ĐµÑ€Đ³¼Đ¼ Đ, Ñ,Ñ€Đ°Đ½Ñ•Ñ,Đ³¼Đ°Đ°Ñ,Đ³¼Ñ€Đ³¼Đ¼ (PTZ)
- ĐŁĐ³¼Đ» Đ¿Đ³¼Đ²Đ³¼Ñ€Đ³¼Ñ,Đ°/Đ½Đ°Đ°Đ»Đ³¼Đ½Đ° (Đ³Ñ€Đ°Đ´ÑfÑ•Ñˆ) 360 / 100
- ĐŽĐ¿Ñ,Đ,Ñ†ĐµÑ•Đ°Đ³¼Đµ ÑfĐ²ĐµĐ»Đ,Ñ†ĐµĐ½Đ,Đµ 18x
- Đ¿Đ,Ñ,Ñ€Đ³¼Đ²Đ³¼Đµ ÑfĐ²ĐµĐ»Đ,Ñ†ĐµĐ½Đ,Đµ 12x
- Đ¿Đ°Đ³¼Ñ€Đ³¼Ñ•Ñ,Ñ€ Đ¿Đ³¼Đ²Đ³¼Ñ€Đ³¼Ñ,Đ° / Đ½Đ°Đ°Đ»Đ³¼Đ½Đ° (Đ³Ñ€Đ°Đ´ÑfÑ•Ñˆ/Ñ•ĐµĐ°) 90 / 90
- ĐŸĐ³¼Đ´Đ´ĐµÑ€Đ¶Đ°Đ° PTZ Đ´Ñ•Ñ,Ñ€Đ³¼ĐµĐ½Đ½ÑˆĐ¹ Đ¿Đ³¼Đ·Đ,Ñ†Đ,Đ³¼Đ½ĐµÑ€

Đ¿Đ³¼ĐµĐ´Đ,Đ½ĐµĐ½Đ,Ñ•

- Đ¿Đ,Ñ,Ñ€Đ³¼Đ²ÑˆĐµ Đ²Ñ...Đ³¼Đ´Ñˆ/Đ²ÑˆÑ...Đ³¼Đ´Ñˆ 4 / 4
- Đ¿ĐµÑ,Ñ€ Ethernet 10/100BaseT

Đ°Đ³¼Đ¿Đ³¼Đ»Đ½Đ,Ñ,ĐµĐ»Ñ€Đ½Đ³¼

- ĐĐĐµĐ¼Đ¿ĐµÑ€Đ°Ñ,ÑfÑ€Đ½ÑˆĐ¹ Đ´Đ,Đ°Đ¿Đ°Đ·Đ³¼Đ½ 5-50Đ¿
- Đ´Đ°Đ·Đ¼ĐµÑ€Ñˆ [ĐˆÑ...ĐˆÑ...Đˆ] Đ´Đ,Đ°Đ¼. 144x225
- Đ—Đ°Ñ%Đ,Ñ,Đ° ĐœĐ½Đ³¼Đ³¼ÑfÑ€Đ³¼Đ²Đ½ĐµĐ²Đ°Ñ• Đ¿Đ°Ñ€Đ³¼Đ»Ñ€Đ½Đ°Ñ• Đ·Đ°Ñ%Đ,Ñ,Đ°, IP Ñ,Đ,Đ»Ñ€Ñ,Ñ€Đ°Ñ†Đ,Ñ, HTTPS

ĐŸÑ€Đ³¼Ñ†ĐµĐµ

- 20 Đ¿Ñ€ĐµĐ´ÑfÑ•Ñ,Đ°Đ½Đ³¼Đ²Đ³¼Đ°
- 1 Đ¼Đ°Ñ€ÑˆÑ€ÑfÑ, Đ°Đ²Ñ,Đ³¼Đ¿Đ°Ñ,Ñ€ÑfĐ»Đ,Ñ€Đ³¼Đ²Đ°Đ½Đ,Ñ•

[Đ°Đ½Ñ,Đ³¼Ñ€Đ¼Đ°Ñ†Đ,Ñ• Đ³¼ Đ¿Ñ€Đ³¼Đ´Đ°Đ²Ñ†Đµ](#)

ĐœĐ½ĐµĐ½Đ,Ñ• Đ¿Đ³¼Đ°ÑfĐ¿Đ°Ñ,ĐµĐ»ĐµĐ¹: Đ•Ñ%Đµ Đ½ĐµÑ, Đ¼Đ½ĐµĐ½Đ,Đ¹ Đ³¼Đ± Ñ•Ñ,Đ³¼Đ¼ Ñ,Đ³¼Đ²Đ°Ñ€Đµ.

ĐŸĐ³¼Đ¶Đ°Đ»ÑfĐ¹Ñ•Ñ,Đ°, Đ²Đ³¼Đ¹Đ´Đ,Ñ,Đµ, Ñ†Ñ,Đ³¼Đ±Ñˆ Đ³¼Ñ•Ñ,Đ°Đ²Đ,Ñ,Ñ€Ñ•Đ²Đ³¼Đµ Đ¼Đ½ĐµĐ½Đ,Đµ.